borg& overström



Digital tap precision for complete countertop convenience.

t2

Drink differently with digital precision and freshly-filtered water on tap.

Redefine your drinking experience with chilled, ambient and sparkling water, all in a sleek design that seamlessly integrates into any workplace or communal area.

At a glance.

Water options







Configuration



Colour





System

ProCore®

Powerful and compact, energy-efficient modular system.

DryChill®

Rapid and hygienic, efficient chilling technology.

Technology

EcoMode

Energy-saving technology.

Bluetooth®

Touch-free dispense.

DeepSparkle®

Sparkling water with long-lasting fizz

Viovandt® (optional)

Chemical-free, eco-friendly integrated UV-LED purification.

Hygiene

Totality®

Filtration and hygiene assurance with Biomaster®.

Transformative technology.

The T2 delivers premium water with digital precision. matching sustainable design with complete convenience. Featuring an integrated drip tray and touch panel, the T2 utilises the latest energysavina EcoMode technology for eco-efficient powerful performance.

With options for sparkling, chilled, and ambient water, the T2 can dispense up to 50 L/h, delivering refreshing, greattasting water with ultimate convenience.

Confidently clean water.

Totality® is our 5-step methodology to achieving pure, healthier, premium water. Providing hygiene assurance in every pour, Totality® reduces sediment, odours, chlorine and microplastics, for freshlv-filtered water that is safe to drink and tastes clean and crisp.

For complete peace of mind, select Viovandt® enhanced UV-C purification. The ultraviolet LED technology provides eco-friendly, chemical-free sterilisation to reduce bacteria and viruses.

Powerful and energy-efficient.

Designed and built in the UK, the T2 is powered by our exclusive, compact, modular ProCore® system with discrete ventilation. The integrated DryChill® airless, rapid cooling technology provides the ultimate in hygiene and performance, reducing the risk of contamination and ensuring every glass is perfectly chilled.

Bottleless water for every environment.

Easy to install, the T2 is designed for every environment. The durable Fynil® finish is easy-to-clean and incorporates an antimicrobial touch panel with silver ion technology. Designed to quickly refill bottles and alasses, the T2 eliminates the need for single-use plastic bottles, enabling you to reduce your plastic consumption.



borg& overström

The detail.

Capacity ProCore	Chilled 50 L/h	Sparkling 50 L/h Sparkling 2°C		
Temperature	Chilled 2°C			
Dispense height	310mm	Perfect for filling water bottles, glasses or carafes		
Power	140-200v			
Dimensions	Integrated Tap W322xD431xH60mm	Undercounter ProCore Unit W320xD471xH400mm		





Steel

ProCore®





ProCore®

Optional accessories.



Deep Sparkle®
CO₂ Refills
Can be disposed via
standard steel recycling or
general waste. Requires
CO₂ regulator with gauge.



Bluetooth® Alarmed Waste Kit

A device that emits an audible alarm at high water level and sends a signal via Bluetooth® to deactivate the control panel.


Model no. 230-240v	Black	Steel	Black LED-UV	Steel LED-UV	
T2 ProCore					
Chilled, Ambient	742000	742010	742020	742030	
Chilled, Sparkling	742080	742090	742100	742110	
Chilled, Ambient & Sparkling	742160	742170	742180	742190	
T2 ProCore+ (Increased capacity)					
Chilled, Ambient	742240	742250	742260	742270	
Chilled, Sparkling	742320	742330	742340	742350	
Chilled, Ambient & Sparkling	742400	742410	742420	742430	

Place an order.

+44 (0)1362 695 006 sales@borgandoverstrom.com

borgandoverstrom.com

Excellence in every pour.



UK designed and built with nearshore supply.



Bottleless and sustainably conscious.



ProCore® advanced modular technology.

